




Audi

ETKA

| Model | Year | MG | SG | Illustration | Restrictions | UPD | 17:36 | 23.02.2015 |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| A6Q | 2002 | 1 | 31 | 131-20 | | 928 | | |





Audi

ETKA

| Model | Year | MG | SG | Illustration | Restrictions | UPD | 17:36 | 23.02.2015 |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| A6Q | 2002 | 1 | 31 | 131-20 | | 928 | | |

| Pos | Part Number | Description | Remark | Qty | Model |
|------|---------------|--|---------|-----|----------------------------|
| | | vacuum system exhaust gas recirculation | 2.5ltr. | | 6-cylinder+ diesel eng. |
| 1 | 059 131 503 | exhaust recirculation valve | | 1 | AYM, AKE, BCZ, BFC, BAU |
| 1 | 059 131 503 B | exhaust recirculation valve | | 1 | BDG, BDH |
| - | 059 131 133 D | retainer for valve | | 1 | |
| 2 | | see plate: | 253-27 | | |
| (3) | 059 131 525 P | connecting pipe | | 1 | AKE, AYM, BFC, BCZ, BAU |
| (3) | 059 131 525 N | connecting pipe | | 1 | BDG, BDH |
| 4 | 046 131 547 | seal | | X | |
| 4A | 059 131 797 A | seal | | 1 | AKE, AYM, BCZ, BFC, BAU |
| (4A) | 059 131 797 B | seal | | 1 | BDG, BDH |
| 6 | N 902 002 01 | hexagon collar nut self-locking | M8 | 2 | |
| (7) | 059 131 525 Q | connecting pipe AGR-VENTIL/LUFTROHR | | 1 | AKE, AYM, BCZ, BFC, BAU |
| (7) | 059 131 513 D | cooler for exhaust recuperation | | 1 | BDG, BDH |
| | | (exhaust gas cooler > coolant pipe) see plate: | 819-60 | | |
| 8 | N 044 704 1 | socket head bolt with hexagon socket head | M8X28 | 1 | |
| 8A | N 014 712 3 | socket head bolt with hexagon socket head | M8X18 | 1 | |
| (9) | N 106 536 01 | socket head bolt with hexagon socket head | M6X20 | 1 | BDH, BDG |
| (9) | N 014 759 1 | socket head bolt with hexagon socket head | M6X35 | 1 | BDH, BDG |
| - | N 018 046 6 | hose in coils of 5m 'order unit 5' | 5X2, 5 | * | |
| 10 | | shorten to: | 730MM | 1 | |
| 11A | | shorten to: | 230MM | 1 | |
| 12 | | shorten to: | 200MM | 1 | |
| 13A | | shorten to: | 600MM | 1 | |
| 13B | | shorten to: | 1050MM | 1 | |



Audi

ETKA

| Model | Year | MG | SG | Illustration | Restrictions | UPD | 17:36 | 23.02.2015 |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| A6Q | 2002 | 1 | 31 | 131-20 | | 928 | | |

| Pos | Part Number | Description | Remark | Qty | Model |
|------|---------------|---|---------------------------------|-----|----------------------------|
| 14 | 078 131 179 | angled hose | | X | |
| - | 059 130 329 | hose in coils of 5m 'order unit 5' | 3,5X1,9 | 1 | |
| 14A | | shorten to: | 280MM | 1 | |
| 15 | 046 905 291 A | non-return valve | | 1 | |
| 16 | 535 853 879 A | edge protection shorten if necessary | 120MM | 2 | |
| 17 | 443 131 541 | vacuum reservoir | | 1 | |
| 18 | 431 820 667 | grommet F >> 4B-4-069 000* | | 1 | |
| (18) | 431 820 667 | grommet F 4B-4-069 001>>* | | 1 | manual gearbox |
| (18) | 431 820 667 B | grommet F 4B-4-069 001>>* | | 1 | automatic |
| (19) | 059 905 291 A | non-return valve | black | 1 | |
| | | also use: | 431 820 667 B | 1 | manual gearbox |
| | | also use: | *>>4B-4-069000 431 820 667 B | 1 | automatic |
| (20) | 078 129 814 G | retainer for damper | | 1 | |
| 21 | N 090 116 2 | hexagon head bolt (combi) | M5X15 | 2 | |
| 22 | N 905 921 01 | hexagon nut | M5 | 2 | |
| 23 | N 908 214 01 | expanding nut | 4,8X19,6 | 2 | |
| 24 | N 907 750 01 | hexagon socket head panel bolt | 4,8X16 | 2 | |
| 25 | 251 201 346 | t-piece F >> 4B-2-130 000* | 6/4/6 | 2 | |
| (25) | 059 133 537 C | t-piece F 4B-2-130 001>>* | 6/4/6 | 2 | AKE, AYM, BCZ, BFC, BAU |
| 26 | 059 133 537 | t-piece | | | |
| (27) | 059 906 627 B | pressure converter marked with: | 'AGR' black | 1 | |
| (28) | 059 906 627 C | pressure converter marked with: | 'LDR' grey | 1 | |
| 29 | 059 906 629 B | support | | 1 | |
| (30) | 000 971 010 A | retaining plate for cable binder (self-adhesive) | 27X27MM | 1 | |
| | | use if required: | N 020 902 2 | 1 | |



Audi

ETKA

| Model | Year | MG | SG | Illustration | Restrictions | UPD | 17:36 | 23.02.2015 |
|-------|------|----|----|--------------|--------------|-----|-------|------------|
| A6Q | 2002 | 1 | 31 | 131-20 | | 928 | | |

| Pos | Part Number | Description | Remark | Qty | Model |
|-----|---------------|---------------------------------------|--------------|-----|-------------------------|
| - | N 020 902 2 | cable ties | 3, 6X246 | 1 | AKE, AYM, BCZ, BAU, BFC |
| 31 | 8D0 971 850 C | cable ties | 9/6X119 | 1 | |
| 32 | 1K0 906 283 A | solenoid valve | | 1 | |
| - | 3D0 971 838 N | cable ties | 4, 5X200 | 1 | |
| 33 | 4B0 906 269 B | bracket | | 1 | AKE, AYM, BCZ, BAU, BFC |
| - | N 101 005 05 | hexagon head bolt (combi) | M6X10 | 1 | AKE, AYM, BCZ, BAU, BFC |
| - | N 020 353 33 | hose in coils of 5m 'order unit 5' | 3, 5X2 | | AKE, AYM, BCZ, BAU, BFC |
| 34 | | shorten to: | 170MM | 1 | AKE, AYM, BCZ, BAU, BFC |
| 35 | | shorten to: | 660MM | 1 | AKE, AYM, BCZ, BAU, BFC |
| 36 | N 020 902 2 | cable ties | 3, 6X246 | X | AKE, AYM, BCZ, BAU, BFC |
| 37 | | no replacement part | | | |
| 38 | 4A0 820 199 | double cable tie | | 1 | |
| 39 | 059 133 629 | protective hose | 13X0, 9X100 | 1 | |
| 40 | N 101 393 01 | clamp | 10-16X9X0, 4 | 2 | |