

Gearbox identification

Code letters, gearbox allocation, ratios, capacities

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CCG	CCH	CHH	CGU
Manufactured	from	01.92	03.92	03.92	07.92
	to	03.92	07.92	07.92	08.94
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	1.6 ltr - 52 kW	1.6 ltr - 52 kW	1.6 ltr - 52 kW	1.6 ltr - 52 kW
Ratios Z2:Z1=i	Final drive	41 : 9 = 4.556	41 : 9 = 4.556	41 : 9 = 4.556	41 : 9 = 4.556
	1st gear	39 : 11 = 3.545	39 : 11 = 3.545	39 : 11 = 3.545	39 : 11 = 3.545
	2nd gear	39 : 21 = 1.857	39 : 21 = 1.857	39 : 21 = 1.857	40 : 19 = 2.105
	3rd gear	37 : 32 = 1.156	37 : 32 = 1.156	37 : 32 = 1.156	40 : 28 = 1.429
	4th gear	32 : 36 = 0.889	32 : 36 = 0.889	32 : 36 = 0.889	36 : 33 = 1.091
	5th gear	29 : 40 = 0.725	29 : 40 = 0.725	29 : 40 = 0.725	32 : 36 = 0.889
	Reverse gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500

Code letters	CCG	CCH	CHH	CGU
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	210 mm	210 mm	210 mm	210 mm
Drive shaft flange dia.	90 mm	100 mm	100 mm	100 mm
Polygon bearings	no	no	no	no
Overall ratio iov. in top gear	3.303	3.303	3.303	4.050

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CPK	CVG	CVK	CSV
Manufactured	from	01.95	01.95	11.93	11.93
	to	07.95	07.95	07.95	07.95
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	1.6 ltr - 52 kW	1.6 ltr - 52 kW	1.6 ltr - 74 kW	1.6 ltr - 75 kW
Ratios Z2:Z1=i	Final drive	41 : 9 = 4.556	41 : 9 = 4.556	39 : 8 = 4.875	39 : 8 = 4.875
	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	34 : 9 = 3.778	34 : 9 = 3.778
	2nd gear	36 : 17 = 2.118	36 : 17 = 2.118	37 : 17 = 2.176	37 : 17 = 2.176
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	36 : 33 = 1.091	36 : 33 = 1.091	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	32 : 36 = 0.889	32 : 36 = 0.889	30 : 38 = 0.789	30 : 38 = 0.789
	Reverse gear	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

Code letters	CPK	CVG	CVK	CSV
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	210 mm	210 mm	210 mm	210 mm
Drive shaft flange dia.	100 mm	100 mm	100 mm	100 mm
Polygon bearings	yes	yes	1)	1)
Overall ratio iov. in top gear	4.050	4.050	3.846	3.846

1) With or without polygon bearings, depending on production date/version

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CSW	CGS	CMS	CMR
Manufactured	from	11.93	03.92	03.92	06.93
	to	07.95	07.93	10.93	10.93
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	1.6 ltr - 75 kW 2)	1.6 ltr - 75 kW 2)	1.6 ltr - 75 kW 2)	1.6 ltr - 75 kW 3)
Ratios Z2:Z1=i	Final drive	39 : 8 = 4.875	39 : 8 = 4.875	39 : 8 = 4.875	41 : 9 = 4.556
	1st gear	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778
	2nd gear	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	39 : 30 = 1.300
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	31 : 37 = 0.838
	5th gear	30 : 38 = 0.789	31 : 37 = 0.838	30 : 38 = 0.789	28 : 41 = 0.683
	Reverse gear	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

2) Export

3) For France

Code letters	CSW	CGS	CMS	CMR
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	210 mm	210 mm	210 mm	210 mm
Drive shaft flange dia.	100 mm	108 mm	108 mm	108 mm
Polygon bearings	1)	no	no	no
Overall ratio iov. in top gear	3.846	4.084	3.846	3.111

1) With or without polygon bearings, depending on production date/version

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CSX	CVJ	CSY	CCE
Manufactured	from	11.93	01.95	01.95	09.91
	to	08.94	07.95	07.95	03.92
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	1.6 ltr - 74 kW 3)	1.6 ltr - 74 kW 3)	1.6 ltr - 74 kW 3)	2.0 ltr - 66 kW 1.9 ltr - 55 kW Diesel
Ratios Z2:Z1=i	Final drive	41 : 9 = 4.556	41 : 9 = 4.556	41 : 9 = 4.556	37 : 9 = 4.111
	1st gear	34 : 9 = 3.778	34 : 9 = 3.778	34 : 9 = 3.778	39 : 11 = 3.545
	2nd gear	37 : 17 = 2.176	37 : 17 = 2.176	37 : 17 = 2.176	39 : 21 = 1.857
	3rd gear	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300	37 : 32 = 1.156
	4th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	32 : 36 = 0.889
	5th gear	28 : 41 = 0.683	28 : 41 = 0.683	28 : 41 = 0.683	29 : 40 = 0.725
	Reverse gear	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	35 : 10 = 3.500

3) For France

Code letters	CSX	CVJ	CSY	CCE
--------------	-----	-----	-----	-----

Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	210 mm	210 mm	210 mm	228 mm
Drive shaft flange dia.	100 mm	130 mm 4)	130 mm 4)	90 mm
Polygon bearings	no	yes	yes	no
Overall ratio iov. in top gear	3.111	3.111	3.111	2.980

4) Drive shaft with triple roller joint

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CDY	CGT	CVF	CVF
Manufactured	from	03.92	07.92	09.94	09.94
	to	08.94	08.94	07.95	07.95
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	2.0 ltr - 66 kW 1.9 ltr - 55 kW Diesel	2.0 ltr - 66 kW	2.0 ltr - 66 kW 5)	2.0 ltr - 66 kW
Ratios Z2:Z1=i	Final drive	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111
	1st gear	39 : 11 = 3.545	39 : 11 = 3.545	39 : 11 = 3.545	35 : 10 = 3.500
	2nd gear	39 : 21 = 1.857	40 : 19 = 2.105	40 : 19 = 2.105	36 : 17 = 2.118
	3rd gear	37 : 32 = 1.156	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	32 : 36 = 0.889	36 : 33 = 1.091	36 : 33 = 1.091	36 : 33 = 1.091
	5th gear	29 : 40 = 0.725	32 : 36 = 0.889	32 : 36 = 0.889	32 : 36 = 0.889
	Reverse gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	31 : 9 = 3.444

5) Swedish export version with different ratios

Code letters	CDY	CGT	CVF	CVF
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
Drive shaft flange dia.	100 mm	100 mm	100 mm	100 mm
Polygon bearings	no	no	yes	yes
Overall ratio iov. in top gear	2.980	3.655	3.655	3.655

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CPH	CCF	CVB	CVB
Manufactured	from	01.95	09.91	09.94	09.94
	to	07.95	08.94	07.95	07.95
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	2.0 ltr - 66 kW	2.0 ltr - 85 kW	2.0 ltr - 85 kW 5)	2.0 ltr - 85 kW
Ratios Z2:Z1=i	Final drive	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111	37 : 9 = 4.111
	1st gear	35 : 10 = 3.500	39 : 11 = 3.545	39 : 11 = 3.545	35 : 10 = 3.500
	2nd gear	36 : 17 = 2.118	40 : 19 = 2.105	40 : 19 = 2.105	36 : 17 = 2.118
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	36 : 33 = 1.091	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029

5th gear	32 : 36 = 0.889	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
Reverse gear	31 : 9 = 3.444	35 : 10 = 3.500	35 : 10 = 3.500	31 : 9 = 3.444

5) Swedish export version with different ratios

Code letters	CPH	CCF	CVB	CVB
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
Drive shaft flange dia.	100 mm	100 mm	100 mm	100 mm
Polygon bearings	yes	no	yes	yes
Overall ratio iov. in top gear	3.655	3.445	3.445	3.445

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CPB	AXG	ATR	CVQ
Manufactured	from	01.95	09.91	07.92	09.94
	to	07.95	08.94	08.94	07.95
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	2.0 ltr - 85 kW	2.0 ltr - 101 kW 2.3 ltr - 98 kW 2.6 ltr - 110 kW	2.0 ltr - 103 kW 6)	2.0 ltr - 103 kW
Ratios Z2:Z1=i	Final drive	37 : 9 = 4.111	35 : 9 = 3.889	37 : 9 = 4.111	37 : 9 = 4.111
	1st gear	35 : 10 = 3.500	39 : 11 = 3.545	39 : 11 = 3.545	35 : 10 = 3.500
	2nd gear	36 : 17 = 2.118	40 : 19 = 2.105	40 : 19 = 2.105	36 : 17 = 2.118
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	Reverse gear	31 : 9 = 3.444	35 : 10 = 3.500	35 : 10 = 3.500	31 : 9 = 3.444

6) Italy

Code letters	CPB	AXG	ATR	CVQ
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
Drive shaft flange dia.	100 mm	108 mm	108 mm	108 mm
Polygon bearings	yes	no	no	yes
Overall ratio iov. in top gear	3.445	3.258	3.445	3.445

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CPD	CNX	CUY	CMA
Manufactured	from	01.95	01.95	01.95	05.93
	to	07.95	07.95	07.95	07.95
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	2.0 ltr - 103 kW	2.3 ltr - 98 kW	2.3 ltr - 98 kW	2.6 ltr - 106 kW 7)
Ratios	Final drive	37 : 9 = 4.111	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889

Z2:Z1=i	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	34 : 9 = 3.778
	2nd gear	36 : 17 = 2.118	36 : 17 = 2.118	36 : 17 = 2.118	37 : 17 = 2.176
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429	40 : 28 = 1.429
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	36 : 33 = 1.091
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	32 : 36 = 0.889
	Reverse gear	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

7) China

Code letters	CPD	CNX	CUY	CMA
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
Drive shaft flange dia.	108 mm	108 mm	108 mm	130 mm 4)
Polygon bearings	yes	yes	yes	1)
Overall ratio iov. in top gear	3.445	3.258	3.258	3.457

1) With or without polygon bearings, depending on production date/version

4) Drive shaft with triple roller joint

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CPL	CVH	CDX	CVD
Manufactured	from	01.95	01.95	07.92	09.94
	to	07.95	07.95	08.94	07.95
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	2.6 ltr - 106 kW7)	2.6 ltr - 110 kW 8)	2.6 ltr - 110 kW	2.6 ltr - 110 kW 5)
Ratios Z2:Z1=i	Final drive	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889
	1st gear	34 : 9 = 3.778	34 : 9 = 3.778	39 : 11 = 3.545	39 : 11 = 3.545
	2nd gear	37 : 17 = 2.176	37 : 17 = 2.176	39 : 21 = 1.857	39 : 21 = 1.857
	3rd gear	40 : 28 = 1.429	40 : 28 = 1.429	39 : 30 = 1.300	39 : 30 = 1.300
	4th gear	36 : 33 = 1.091	36 : 33 = 1.091	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	32 : 36 = 0.889	32 : 36 = 0.889	31 : 37 = 0.838	31 : 37 = 0.838
	Reverse gear	31 : 9 = 3.444	31 : 9 = 3.444	35 : 10 = 3.500	35 : 10 = 3.500

5) Swedish export version with different ratios

7) China

8) China, CIS

Code letters	CPL	CVH	CDX	CVD
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	228 mm	228 mm
Drive shaft flange dia.	130 mm 4)	130 mm 4)	130 mm 4)	130 mm 4)
Polygon bearings	yes	yes	no	yes

Overall ratio iov. in top gear	3.457	3.457	3.655	3.655
---------------------------------------	-------	-------	-------	-------

4) Drive shaft with triple roller joint

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CVD	CPE	CAC	CUZ
Manufactured	from	09.94	01.95	09.91	09.91
	to	07.95	07.95	07.95	07.95
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	2.6 ltr - 110 kW	2.6 ltr - 110 kW	2.8 ltr - 128 kW	2.8 ltr - 128 kW
Ratios Z2:Z1=i	Final drive	35 : 9 = 3.889	35 : 9 = 3.889	37 : 10 = 3.700	37 : 10 = 3.700
	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500
	2nd gear	35 : 19 = 1.842	35 : 19 = 1.842	35 : 19 = 1.842	35 : 19 = 1.842
	3rd gear	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300	39 : 30 = 1.300
	4th gear	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029	35 : 34 = 1.029
	5th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838
	Reverse gear	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444

Code letters	CVD	CPE	CAC	CUZ
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	228 mm	228 mm	240 mm	240 mm
Drive shaft flange dia.	130 mm 4)	130 mm 4)	130 mm 4)	130 mm 4)
Polygon bearings	yes	yes	1)	1)
Overall ratio iov. in top gear	3.655	3.655	3.100	3.100

1) With or without polygon bearings, depending on production date/version

4) Drive shaft with triple roller joint

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CNY	CNW	CUX	BAA
Manufactured	from	01.95	01.95	01.95	09.91
	to	07.95	07.95	07.95	08.94
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä
	Engine	2.8 ltr - 128 kW	1.9 ltr - 55 kW Diesel	1.9 ltr - 55 kW Diesel	1.9 ltr - 66 kW TDI
Ratios Z2:Z1=i	Final drive	37 : 10 = 3.700	37 : 9 = 4.111	37 : 9 = 4.111	35 : 9 = 3.889
	1st gear	35 : 10 = 3.500	35 : 10 = 3.500	35 : 10 = 3.500	39 : 11 = 3.545
	2nd gear	35 : 19 = 1.842	35 : 19 = 1.842	35 : 19 = 1.842	39 : 21 = 1.857
	3rd gear	39 : 30 = 1.300	37 : 32 = 1.156	37 : 32 = 1.156	37 : 32 = 1.156
	4th gear	35 : 34 = 1.029	32 : 36 = 0.889	32 : 36 = 0.889	31 : 37 = 0.838
	5th gear	31 : 37 = 0.838	29 : 40 = 0.725	29 : 40 = 0.725	28 : 41 = 0.683
	Reverse gear	31 : 9 = 3.444	31 : 9 = 3.444	31 : 9 = 3.444	35 : 10 = 3.500

Code letters	CNY	CNW	CUX	BAA
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			

Clutch actuation	hydraulic	hydraulic	hydraulic	hydraulic
Clutch plate dia.	240 mm	228 mm	228 mm	228 mm
Drive shaft flange dia.	130 mm 4)	100 mm	100 mm	130 mm 4)
Polygon bearings	yes	yes	yes	no
Overall ratio iov. in top gear	3.100	2.980	2.980	2.656

4) Drive shaft with triple roller joint

Manual gearbox		5-speed 012 front-wheel drive			
Code letters		CVC	CVC	CPC	
Manufactured	from	09.94	09.94	01.95	
	to	07.95	07.95	07.95	
Allocation	Model	Audi 80 1992 ä	Audi 80 1992 ä	Audi 80 1992 ä	
	Engine	1.9 ltr - 66 kW TDI5)	1.9 ltr - 66 kW TDI	1.9 ltr - 66 kW TDI	
Ratios Z2:Z1=i	Final drive	35 : 9 = 3.889	35 : 9 = 3.889	35 : 9 = 3.889	
	1st gear	39 : 11 = 3.545	35 : 10 = 3.500	35 : 10 = 3.500	
	2nd gear	39 : 21 = 1.857	35 : 19 = 1.842	35 : 19 = 1.842	
	3rd gear	37 : 32 = 1.156	37 : 32 = 1.156	37 : 32 = 1.156	
	4th gear	31 : 37 = 0.838	31 : 37 = 0.838	31 : 37 = 0.838	
	5th gear	28 : 41 = 0.683	28 : 41 = 0.683	28 : 41 = 0.683	
	Reverse gear	35 : 10 = 3.500	31 : 9 = 3.444	31 : 9 = 3.444	

5) Swedish export version with different ratios

Code letters	CVC	CVC	CPC	
Speedometer	electronic			
Capacity	2.25 litres			
Specification	Gear oil G 052 911 A SAE 75 W 90 (synthetic oil)			
Clutch actuation	hydraulic	hydraulic	hydraulic	
Clutch plate dia.	228 mm	228 mm	228 mm	
Drive shaft flange dia.	130 mm 4)	130 mm 4)	130 mm 4)	
Polygon bearings	1)	1)	yes	
Overall ratio iov. in top gear	2.656	2.656	2.656	

1) With or without polygon bearings, depending on production date/version

4) Drive shaft with triple roller joint